

# BRUSHES DIMENSIONS

## INSIDE DIAMETER



HEIGHT		WIDTH		LENGTH		WAGNER	HEIGHT		WIDTH		LENGTH		WAGNER
mm	inch	mm	inch	mm	inch	PART #	mm	inch	mm	inch	mm	inch	PART #
3.9	0.154	5.9	0.232	16.4	0.646	W030-03	4.8	0.189	7.9	0.311	18.5	0.728	W035-06
3.9	0.154	5.9	0.232	16.4	0.646	W030-03K	4.8	0.189	16.9	0.665	16.0	0.630	W415-76
3.9	0.154	6.9	0.272	14.5	0.571	W037-00	4.8	0.189	16.9	0.665	16.0	0.630	W415-77
3.9	0.154	6.9	0.272	14.5	0.571	W037-01	4.9	0.193	6.9	0.272	12.0	0.472	W033-02
3.9	0.154	6.9	0.272	20.0	0.787	W031-05	4.9	0.193	6.9	0.272	12.0	0.472	W033-03
3.9	0.154	6.9	0.272	20.0	0.787	W031-05S	4.9	0.193	6.9	0.272	13.5	0.531	W035-04
3.9	0.154	7.4	0.291	17.5	0.689	F03-08	4.9	0.193	6.9	0.272	16.0	0.630	W035-00
4.0	0.157	7.5	0.295	12.0	0.472	F03-09	4.9	0.193	6.9	0.272	16.0	0.630	W035-12
4.0	0.157	7.5	0.295	12.5	0.492	F03-03	4.9	0.193	6.9	0.272	17.0	0.669	W035-13
4.0	0.157	7.5	0.295	12.5	0.492	F03-04	4.9	0.193	6.9	0.272	19.0	0.748	W032-01
4.0	0.157	7.5	0.295	12.5	0.492	F03-05	4.9	0.193	6.9	0.272	19.0	0.748	W032-02
4.4	0.173	11.8	0.465	17.5	0.689	W415-58	4.9	0.193	6.9	0.272	21.0	0.827	W035-05
4.4	0.173	11.9	0.469	12.5	0.492	W415-72	4.9	0.193	7.9	0.311	10.0	0.394	591162
4.4	0.173	11.9	0.469	12.5	0.492	W415-73	4.9	0.193	7.9	0.311	15.0	0.591	W033-00
4.4	0.173	11.9	0.469	12.5	0.492	W415-87	4.9	0.193	7.9	0.311	15.0	0.591	W033-01
4.4	0.173	11.9	0.469	12.5	0.492	W415-88	4.9	0.193	7.9	0.311	15.5	0.610	W030-01
4.4	0.173	11.9	0.469	12.5	0.492	W415-89	4.9	0.193	7.9	0.311	16.0	0.630	W035-08
4.4	0.173	11.9	0.469	15.0	0.591	W415-85	4.9	0.193	7.9	0.311	17.0	0.669	W035-01
4.4	0.173	11.9	0.469	15.0	0.591	W415-86	4.9	0.193	7.9	0.311	18.0	0.709	W035-10
4.4	0.173	11.9	0.469	17.5	0.689	W415-21	4.9	0.193	7.9	0.311	19.0	0.748	W030-02
4.4	0.173	11.9	0.469	17.5	0.689	W415-24	4.9	0.193	7.9	0.311	21.0	0.827	W035-16
4.4	0.173	11.9	0.469	17.5	0.689	W415-34	4.9	0.193	7.9	0.311	24.0	0.945	W035-09
4.4	0.173	13.9	0.547	15.0	0.591	W415-78	4.9	0.193	7.9	0.311	24.0	0.945	W035-21
4.4	0.173	13.9	0.547	15.0	0.591	W415-79	4.9	0.193	7.9	0.311	26.0	1.024	W035-18
4.4	0.173	13.9	0.547	15.0	0.591	W415-97	4.9	0.193	7.9	0.311	26.0	1.024	W035-19
4.4	0.173	13.9	0.547	17.0	0.669	W415-67	4.9	0.193	7.9	0.311	26.0	1.024	W035-20
4.4	0.173	13.9	0.547	17.0	0.669	W415-68	4.9	0.193	7.9	0.311	27.6	1.087	W035-07
4.4	0.173	13.9	0.547	17.0	0.669	W415-69	4.9	0.193	9.9	0.390	71.0	2.795	W030-00
4.4	0.173	15.9	0.626	14.0	0.551	F41-03	4.9	0.193	11.8	0.465	11.5	0.453	W410-29L
4.4	0.173	15.9	0.626	16.0	0.630	F41-11	4.9	0.193	11.8	0.465	11.5	0.453	W410-29S
4.4	0.173	17.8	0.701	17.5	0.689	W415-47	4.9	0.193	11.8	0.465	11.5	0.453	W410-36
4.4	0.173	17.9	0.705	17.5	0.689	W415-22	4.9	0.193	11.9	0.469	11.5	0.453	W410-29R
4.4	0.173	17.9	0.705	17.5	0.689	W415-25	4.9	0.193	12.5	0.492	30.0	1.181	D03-09
4.5	0.177	6.4	0.252	15.0	0.591	591163	4.9	0.193	15.8	0.622	13.0	0.512	W410-14
4.5	0.177	6.5	0.256	12.5	0.492	F03-07	4.9	0.193	15.8	0.622	13.0	0.512	W410-14L
4.5	0.177	6.5	0.256	14.0	0.551	M03-00	4.9	0.193	15.8	0.622	13.0	0.512	W410-14N
4.5	0.177	7.9	0.311	22.0	0.866	D03-10	4.9	0.193	15.8	0.622	13.0	0.512	W410-14R
4.5	0.177	7.9	0.311	22.0	0.866	D03-11	4.9	0.193	15.8	0.622	13.0	0.512	W410-35
4.5	0.177	10.9	0.429	16.4	0.646	W415-65	4.9	0.193	15.9	0.626	11.0	0.433	D41-20
4.5	0.177	10.9	0.429	16.4	0.646	W415-66	4.9	0.193	15.9	0.626	13.0	0.512	W410-32
4.5	0.177	16.0	0.630	14.0	0.551	F41-00	4.9	0.193	17.9	0.705	15.0	0.591	D41-21
4.5	0.177	16.0	0.630	14.0	0.551	F41-01	4.9	0.193	18.0	0.709	15.0	0.591	D41-18
4.5	0.177	16.0	0.630	14.0	0.551	F41-02	4.9	0.193	18.0	0.709	15.0	0.591	D41-19
4.5	0.177	16.0	0.630	15.9	0.626	F41-10	5.0	0.197	6.0	0.236	22.0	0.866	D03-07
4.6	0.181	4.6	0.181	13.0	0.512	W031-00	5.0	0.197	6.5	0.256	12.5	0.492	F03-00
4.6	0.181	4.6	0.181	13.0	0.512	W031-01	5.0	0.197	6.5	0.256	12.5	0.492	F03-01
4.6	0.181	6.3	0.248	13.0	0.512	W032-00	5.0	0.197	6.5	0.256	12.5	0.492	F03-02
4.6	0.181	7.9	0.311	18.0	0.709	W031-02	5.0	0.197	6.5	0.256	16.5	0.650	F03-06
4.6	0.181	7.9	0.311	18.0	0.709	W031-03	5.0	0.197	7.5	0.295	13.0	0.512	D03-13
4.6	0.181	7.9	0.311	18.0	0.709	W031-04	5.0	0.197	8.0	0.315	12.5	0.492	D03-00
4.7	0.185	6.3	0.248	14.0	0.551	W036-00	5.0	0.197	8.0	0.315	12.5	0.492	D03-03
4.7	0.185	16.9	0.665	16.0	0.630	W415-45	5.0	0.197	8.0	0.315	18.5	0.728	D03-08
4.7	0.185	16.9	0.665	16.0	0.630	W415-46	5.0	0.197	8.0	0.315	20.5	0.807	D03-06

# BRUSHES DIMENSIONS

## INSIDE DIAMETER



HEIGHT		WIDTH		LENGTH		WAGNER	HEIGHT		WIDTH		LENGTH		WAGNER
mm	inch	mm	inch	mm	inch	PART #	mm	inch	mm	inch	mm	inch	PART #
5.0	0.197	8.0	0.315	22.0	0.866	D03-01	6.5	0.256	8.3	0.327	16.0	0.630	W415-94
5.0	0.197	8.0	0.315	22.0	0.866	D03-02	6.5	0.256	8.3	0.327	16.0	0.630	W415-95
5.0	0.197	8.0	0.315	22.5	0.886	D03-04	6.5	0.256	9.9	0.390	16.5	0.650	W415-17
5.1	0.201	8.1	0.319	23.0	0.906	D03-14	6.5	0.256	19.0	0.748	12.5	0.492	D41-05
5.1	0.201	8.1	0.319	23.0	0.906	D03-15	6.5	0.256	19.0	0.748	15.5	0.610	D41-03
5.3	0.209	19.7	0.776	17.0	0.669	W415-80	6.5	0.256	19.0	0.748	15.5	0.610	D41-04
5.4	0.213	19.7	0.776	17.0	0.669	W415-71	6.5	0.256	19.0	0.748	16.0	0.630	D41-15
5.5	0.217	14.9	0.587	15.0	0.591	D41-00	6.6	0.260	9.8	0.386	17.0	0.669	W415-37
5.9	0.232	6.9	0.272	15.0	0.591	W035-14	6.6	0.260	21.5	0.846	13.0	0.512	D41-16
5.9	0.232	6.9	0.272	15.0	0.591	W035-15	6.6	0.260	21.8	0.858	15.3	0.602	D41-17
5.9	0.232	6.9	0.272	17.0	0.669	W035-03	6.7	0.264	14.9	0.587	15.0	0.591	D41-11
5.9	0.232	6.9	0.272	19.5	0.768	W035-02	6.8	0.268	10.8	0.425	16.0	0.630	W415-15
5.9	0.232	6.9	0.272	20.0	0.787	W035-17	6.8	0.268	10.8	0.425	16.0	0.630	W415-16
5.9	0.232	6.9	0.272	23.0	0.906	W035-11	6.8	0.268	10.8	0.425	16.0	0.630	W415-43
5.9	0.232	12.9	0.508	18.0	0.709	W413-03	6.8	0.268	10.8	0.425	16.3	0.642	W415-50
5.9	0.232	12.9	0.508	18.0	0.709	W413-04	6.8	0.268	10.8	0.425	16.3	0.642	W415-51
5.9	0.232	13.9	0.547	14.0	0.551	W415-20	6.8	0.268	10.8	0.425	16.3	0.642	W415-52
5.9	0.232	13.9	0.547	14.0	0.551	W415-55	6.8	0.268	10.8	0.425	16.3	0.642	W415-53
5.9	0.232	13.9	0.547	14.0	0.551	W415-70	6.8	0.268	10.8	0.425	19.0	0.748	W415-02
5.9	0.232	15.9	0.626	14.5	0.571	W415-04	6.8	0.268	10.8	0.425	19.0	0.748	W415-03
5.9	0.232	15.9	0.626	14.5	0.571	W415-05	6.8	0.268	11.8	0.465	17.0	0.669	W415-14
5.9	0.232	15.9	0.626	17.0	0.669	W413-01	6.8	0.268	12.8	0.504	16.0	0.630	W415-59
5.9	0.232	17.9	0.705	12.5	0.492	W410-46	6.8	0.268	12.8	0.504	16.0	0.630	W415-60
5.9	0.232	17.9	0.705	12.5	0.492	W410-47	6.8	0.268	12.8	0.504	16.0	0.630	W415-61
5.9	0.232	17.9	0.705	14.5	0.571	W410-15	6.8	0.268	13.6	0.535	18.0	0.709	W410-05
5.9	0.232	17.9	0.705	14.5	0.571	W410-15L	6.8	0.268	13.8	0.543	9.5	0.374	W411-16
5.9	0.232	17.9	0.705	14.5	0.571	W410-15N	6.8	0.268	15.8	0.622	15.0	0.591	W410-33
5.9	0.232	17.9	0.705	14.5	0.571	W410-15R	6.8	0.268	17.8	0.701	18.0	0.709	W415-36
5.9	0.232	18.9	0.744	16.0	0.630	D41-22	6.8	0.268	19.9	0.783	9.5	0.374	W411-15
6.0	0.236	14.5	0.571	14.5	0.571	D41-12	6.9	0.272	9.9	0.390	14.0	0.551	W410-31
6.0	0.236	21.9	0.862	15.0	0.591	W410-43	6.9	0.272	9.9	0.390	14.0	0.551	W410-41
6.0	0.236	21.9	0.862	15.0	0.591	W410-44	6.9	0.272	9.9	0.390	18.0	0.709	W410-01
6.0	0.236			9.5	0.374	C03-00	6.9	0.272	11.9	0.469	16.0	0.630	W415-54
6.0	0.236			9.5	0.374	C03-01	6.9	0.272	11.9	0.469	19.0	0.748	W415-01
6.0	0.236			9.5	0.374	C03-02	6.9	0.272	11.9	0.469	19.0	0.748	W415-31
6.0	0.236			9.5	0.374	C03-03	6.9	0.272	13.9	0.547	16.0	0.630	W410-07
6.0	0.236			9.5	0.374	C03-04	6.9	0.272	13.9	0.547	16.0	0.630	W415-12
6.0	0.236			9.5	0.374	C03-05	6.9	0.272	13.9	0.547	16.0	0.630	W415-13
6.0	0.236			10.0	0.394	C03-06	6.9	0.272	13.9	0.547	16.0	0.630	W415-35
6.2	0.244	6.2	0.244	12.5	0.492	P03-00	6.9	0.272	14.9	0.587	18.5	0.728	W412-08
6.3	0.248	7.9	0.311	10.0	0.394	W415-30	6.9	0.272	14.9	0.587	18.5	0.728	W412-09
6.3	0.248	18.8	0.740	19.0	0.748	W415-41	6.9	0.272	15.8	0.622	15.0	0.591	W410-40
6.4	0.252	12.9	0.508	14.2	0.559	W415-44	6.9	0.272	15.8	0.622	16.0	0.630	W415-32
6.4	0.252	12.9	0.508	14.2	0.559	W415-96	6.9	0.272	15.8	0.622	16.0	0.630	W415-33
6.4	0.252	15.9	0.626	13.5	0.531	D41-14	6.9	0.272	15.9	0.626	14.0	0.551	W415-00
6.4	0.252	15.9	0.626	13.5	0.531	W411-02	6.9	0.272	15.9	0.626	14.0	0.551	W415-40
6.4	0.252	15.9	0.626	13.5	0.531	W411-03	6.9	0.272	15.9	0.626	14.0	0.551	W415-83
6.4	0.252	15.9	0.626	13.5	0.531	W411-04	6.9	0.272	15.9	0.626	16.0	0.630	W415-06
6.5	0.256	6.5	0.256	24.0	0.945	D03-16	6.9	0.272	15.9	0.626	16.0	0.630	W415-07
6.5	0.256	8.3	0.327	16.0	0.630	W415-90	6.9	0.272	15.9	0.626	18.0	0.709	W410-00
6.5	0.256	8.3	0.327	16.0	0.630	W415-91	6.9	0.272	15.9	0.626	18.0	0.709	W410-06
6.5	0.256	8.3	0.327	16.0	0.630	W415-92	6.9	0.272	15.9	0.626	18.0	0.709	W410-10
6.5	0.256	8.3	0.327	16.0	0.630	W415-93	6.9	0.272	15.9	0.626	18.0	0.709	W410-13

**BRUSHES DIMENSIONS**  
**INSIDE DIAMETER**



HEIGHT		WIDTH		LENGTH		WAGNER	HEIGHT		WIDTH		LENGTH		WAGNER
mm	inch	mm	inch	mm	inch	PART #	mm	inch	mm	inch	mm	inch	PART #
6.9	0.272	15.9	0.626	20.0	0.787	<b>W413-02</b>	8.0	0.315	15.5	0.610	10.0	0.394	<b>F41-05</b>
6.9	0.272	15.9	0.626	22.0	0.866	<b>W410-02</b>	8.0	0.315	15.5	0.610	10.0	0.394	<b>F41-06</b>
6.9	0.272	15.9	0.626	22.0	0.866	<b>W410-03</b>	8.0	0.315	19.0	0.748	12.5	0.492	<b>D41-07</b>
6.9	0.272	17.9	0.705	14.0	0.551	<b>W412-00</b>	8.0	0.315	19.0	0.748	15.5	0.610	<b>D41-02</b>
6.9	0.272	17.9	0.705	14.0	0.551	<b>W412-01</b>	8.1	0.319	18.1	0.713	19.0	0.748	<b>F41-12</b>
6.9	0.272	17.9	0.705	17.0	0.669	<b>W412-13</b>	8.1	0.319	18.1	0.713	19.0	0.748	<b>F41-14</b>
6.9	0.272	17.9	0.705	17.0	0.669	<b>W412-14</b>	8.1	0.319	18.5	0.728	19.0	0.748	<b>F41-13</b>
6.9	0.272	17.9	0.705	17.0	0.669	<b>W412-15</b>	8.3	0.327	11.3	0.445	16.0	0.630	<b>W411-05</b>
6.9	0.272	18.8	0.740	16.0	0.630	<b>W415-08</b>	8.3	0.327	11.3	0.445	16.0	0.630	<b>W411-06</b>
6.9	0.272	18.8	0.740	16.0	0.630	<b>W415-09</b>	8.5	0.335	11.0	0.433	18.0	0.709	<b>W412-25</b>
6.9	0.272	24.9	0.980	15.0	0.591	<b>W415-75</b>	8.5	0.335	11.3	0.445	16.0	0.630	<b>W411-00</b>
7.0	0.276	19.0	0.748	16.5	0.650	<b>P41-00</b>	8.5	0.335	11.3	0.445	16.0	0.630	<b>W411-17</b>
7.4	0.291	17.9	0.705	17.0	0.669	<b>W410-39</b>	8.5	0.335	17.5	0.689	10.0	0.394	<b>C41-02</b>
7.5	0.295	12.9	0.508	17.5	0.689	<b>W415-62</b>	8.5	0.335	17.5	0.689	10.0	0.394	<b>C41-03</b>
7.5	0.295	12.9	0.508	17.5	0.689	<b>W415-63</b>	8.5	0.335	17.5	0.689	10.0	0.394	<b>P41-01</b>
7.5	0.295	17.9	0.705	17.0	0.669	<b>W410-17</b>	8.5	0.335	19.0	0.748	10.0	0.394	<b>F41-07</b>
7.5	0.295	18.0	0.709	19.0	0.748	<b>W410-30S</b>	8.5	0.335	19.0	0.748	10.0	0.394	<b>F41-08</b>
7.5	0.295	26.9	1.059	16.5	0.650	<b>W410-48</b>	8.8	0.346	4.3	0.169	18.0	0.709	<b>W412-18</b>
7.5	0.295	26.9	1.059	16.5	0.650	<b>W410-49</b>	8.8	0.346	12.5	0.492	15.0	0.591	<b>W412-10</b>
7.5	0.295			9.5	0.374	<b>C03-07</b>	8.8	0.346	12.5	0.492	15.0	0.591	<b>W412-11</b>
7.5	0.295			9.5	0.374	<b>C03-08</b>	8.8	0.346	12.5	0.492	15.0	0.591	<b>W412-12</b>
7.6	0.299	12.5	0.492			<b>L03-01</b>	8.8	0.346	17.5	0.689	12.7	0.500	<b>C41-00</b>
7.6	0.299	22.5	0.886			<b>L03-00</b>	8.8	0.346	17.5	0.689	12.7	0.500	<b>C41-01</b>
7.8	0.307	18.8	0.740	18.0	0.709	<b>W415-38</b>	8.8	0.346	19.1	0.752	10.5	0.413	<b>F41-15</b>
7.8	0.307	23.8	0.937	18.5	0.728	<b>W415-23</b>	8.8	0.346	19.2	0.756	13.0	0.512	<b>W411-01</b>
7.8	0.307	23.8	0.937	18.5	0.728	<b>W415-28</b>	8.9	0.350	11.0	0.433	18.0	0.709	<b>W412-20</b>
7.9	0.311	14.4	0.567	22.5	0.886	<b>W415-18</b>	8.9	0.350	11.0	0.433	18.0	0.709	<b>W412-21</b>
7.9	0.311	14.4	0.567	22.5	0.886	<b>W415-19</b>	8.9	0.350	11.0	0.433	18.0	0.709	<b>W412-22</b>
7.9	0.311	14.4	0.567	22.5	0.886	<b>W415-56</b>	8.9	0.350	12.8	0.504	25.5	1.004	<b>W410-04</b>
7.9	0.311	14.4	0.567	22.5	0.886	<b>W415-57</b>	8.9	0.350	15.9	0.626	17.0	0.669	<b>W410-12</b>
7.9	0.311	14.9	0.587	15.0	0.591	<b>W417-00</b>	8.9	0.350	15.9	0.626	17.0	0.669	<b>W410-16</b>
7.9	0.311	14.9	0.587	15.0	0.591	<b>W417-03</b>	8.9	0.350	15.9	0.626	17.0	0.669	<b>W410-26</b>
7.9	0.311	16.9	0.665	19.0	0.748	<b>W413-00</b>	8.9	0.350	15.9	0.626	17.0	0.669	<b>W410-27</b>
7.9	0.311	18.9	0.744	22.0	0.866	<b>W411-09</b>	8.9	0.350	15.9	0.626	17.0	0.669	<b>W410-34</b>
7.9	0.311	18.9	0.744	22.0	0.866	<b>W411-10</b>	8.9	0.350	15.9	0.626	25.5	1.004	<b>W410-09</b>
7.9	0.311	18.9	0.744	22.0	0.866	<b>W411-11</b>	8.9	0.350	17.9	0.705	22.0	0.866	<b>W412-23</b>
7.9	0.311	18.9	0.744	22.0	0.866	<b>W411-12</b>	8.9	0.350	17.9	0.705	22.0	0.866	<b>W412-24</b>
7.9	0.311	19.0	0.748	12.7	0.500	<b>D41-09</b>	8.9	0.350	19.4	0.764	22.0	0.866	<b>W415-81</b>
7.9	0.311	21.9	0.862	22.5	0.886	<b>W410-21</b>	8.9	0.350	19.4	0.764	22.0	0.866	<b>W415-82</b>
7.9	0.311	23.9	0.941	19.0	0.748	<b>W415-26</b>	8.9	0.350	19.9	0.783	24.0	0.945	<b>W411-19</b>
7.9	0.311	23.9	0.941	19.0	0.748	<b>W415-27</b>	8.9	0.350	29.9	1.177	26.5	1.043	<b>W415-29</b>
7.9	0.311	24.0	0.945	21.0	0.827	<b>W415-11</b>	9.0	0.354	17.5	0.689	10.0	0.394	<b>C41-04</b>
7.9	0.311	24.8	0.976	18.0	0.709	<b>W415-84</b>	9.4	0.370	13.1	0.516	17.5	0.689	<b>W411-14</b>
7.9	0.311	24.9	0.980	15.0	0.591	<b>W415-10</b>	9.4	0.370	13.1	0.516	17.5	0.689	<b>W411-18</b>
7.9	0.311	24.9	0.980	15.0	0.591	<b>W415-39</b>	9.5	0.374	19.0	0.748	12.5	0.492	<b>D41-06</b>
7.9	0.311	24.9	0.980	17.0	0.669	<b>W410-24</b>	9.5	0.374	19.0	0.748	12.7	0.500	<b>D41-08</b>
7.9	0.311	24.9	0.980	17.0	0.669	<b>W410-25</b>	9.5	0.374	19.0	0.748	19.0	0.748	<b>D41-01</b>
7.9	0.311	24.9	0.980	20.0	0.787	<b>N41-00</b>	9.5	0.374	19.0	0.748	19.0	0.748	<b>D41-13</b>
7.9	0.311	24.9	0.980	20.0	0.787	<b>N41-01</b>	9.6	0.378	10.2	0.402	15.0	0.591	<b>W412-06</b>
7.9	0.311	24.9	0.980	20.0	0.787	<b>N41-02</b>	9.6	0.378	10.2	0.402	15.0	0.591	<b>W412-07</b>
7.9	0.311	24.9	0.980	20.0	0.787	<b>N41-03</b>	9.7	0.382	29.9	1.177	20.8	0.819	<b>W415-48</b>
7.9	0.311	24.9	0.980	21.0	0.827	<b>W415-11C</b>	9.7	0.382	29.9	1.177	20.8	0.819	<b>W415-49</b>
8.0	0.315	15.5	0.610	10.0	0.394	<b>F41-04</b>	9.9	0.390	17.9	0.705	14.0	0.551	<b>W412-02</b>

**BRUSHES DIMENSIONS  
INSIDE DIAMETER**



HEIGHT		WIDTH		LENGTH		WAGNER				
mm	inch	mm	inch	mm	inch	PART #				
9.9	0.390	17.9	0.705	14.0	0.551	<b>W412-03</b>				
9.9	0.390	17.9	0.705	14.0	0.551	<b>W412-16</b>				
9.9	0.390	17.9	0.705	14.0	0.551	<b>W412-17</b>				
9.9	0.390	21.9	0.862	19.5	0.768	<b>W410-42</b>				
9.9	0.390	21.9	0.862	23.0	0.906	<b>W410-45</b>				
9.9	0.390	24.8	0.976	23.0	0.906	<b>W410-18</b>				
9.9	0.390	24.9	0.980	15.0	0.591	<b>W410-37</b>				
9.9	0.390	24.9	0.980	15.0	0.591	<b>W410-38</b>				
9.9	0.390	24.9	0.980	17.0	0.669	<b>W410-19</b>				
9.9	0.390	24.9	0.980	17.0	0.669	<b>W410-20</b>				
9.9	0.390	39.9	1.571	26.0	1.024	<b>W415-74</b>				
10.3	0.406	19.0	0.748	12.7	0.500	<b>D41-10</b>				
10.5	0.413	36.5	1.437	23.0	0.906	<b>D41-23</b>				
10.5	0.413	36.5	1.437	23.0	0.906	<b>D41-24</b>				
10.8	0.425	13.0	0.512	15.0	0.591	<b>W417-01</b>				
10.8	0.425	13.0	0.512	15.0	0.591	<b>W417-02</b>				
11.8	0.465	35.8	1.409	27.0	1.063	<b>W410-28</b>				
11.9	0.469	35.9	1.413	27.0	1.063	<b>W410-23</b>				
11.9	0.469	39.9	1.571	27.5	1.083	<b>W410-22</b>				
12.3	0.484	11.9	0.469	15.0	0.591	<b>W412-04</b>				
12.3	0.484	11.9	0.469	15.0	0.591	<b>W412-05</b>				
12.3	0.484	11.9	0.469	15.0	0.591	<b>W412-19</b>				